

First Named Inventor	David Eggleston	<p style="text-align: center;">COMMUNICATION REGARDING CERTIFICATE OF CORRECTION</p>
Patent No.	6,906,961	
Issue Date	June 14, 2005	
Examiner Name	Pho M. Luu	
Confirmation No.	1610	
Attorney Docket No.	400.197US01	
<p>Title: ERASE BLOCK DATA SPLITTING</p>		


Attention Certificate of Corrections Branch  
 Commissioner for Patents  
 P.O. Box 1450  
 Alexandria, VA 22313-1450

Applicant hereby requests issuance of a Certificate of Correction in U.S. Letters Patent No. 6,906,961 as specified on the attached Certificate (Form PTO/SB/44).

Applicant believes that some of the corrections are necessary due to Applicant errors of a clerical nature and therefore encloses the \$100.00 Certificate of Correction Fee Under 1.20(a). If deemed necessary, the U.S. Patent Office is authorized to charge any additional fees found due to our Deposit Account No. 501373. Please contact the undersigned attorney if you have any questions.

Respectfully submitted,

Date: 4/26/07

  
 Andrew C. Walseth  
 Reg. No. 43,234

Attorneys for Applicant  
 Leffert Jay & Polglaze  
 P.O. Box 581009  
 Minneapolis, MN 55458-1009  
 T 612 312-2200  
 F 612 312-2250

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 6,906,961  
APPLICATION NO.: 10/602,991  
ISSUE DATE : June 14, 2005  
INVENTOR(S) : Eggleston et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

**In the Drawings:**

At sheet 9 of 12, delete Figure 6B and replace with attached Replacement Figure 6B.

Column 8, Line 63, delete "other erase block 302, 308 of the erase block pair 300. For" and insert --other erase block 302, 304 of the erase block pair 300. For--

Column 9, Line 35, delete "written to the user data area 230 of Sector 0 228 of Erase" and insert --written to the user data area 230 of Sector 0 234 of Erase--

Column 9, Line 47, delete "the user data area 230 of Sector 0 228 of Erase Block 1 226" and insert --the user data area 230 of Sector 0 234 of Erase Block 1 226--

Column 11, Line 35, delete "this manner until all the user data areas 406 of the sectors" and insert --this manner until all the user data areas 456 of the sectors--

Column 11, Line 45, delete "read from the super block 400 starting with the user data area" and insert --read from the super block 450 starting with the user data area--

Column 11, Line 51, delete "is then written to/read from the user data area 410 of the next" and insert --is then written to/read from the user data area 460 of the next--

Column 13, Line 54, delete "contains four ECC codes 410 that correspond to the four" and insert --contains four ECC codes 610 that correspond to the four--

Column 16, Line 50, delete "control circuit 812 is coupled to read 816 the sector data" and insert --control circuit 812 is coupled to read 822 the sector data--

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

Leffert Jay & Polglaze, PA  
P.O. Box 581009  
Minneapolis, MN 55458-1009

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*

